

OASIS BAR HEIGHT TABLE 1050 HIGH


Specifications:

- Strong Steel Frame Rectangular Table
- Top made from E0 Rated Melamine Board
- 100kg Weight Rating *Evenly Spread

Boxed Item - *Assembly Required*

3YEAR
warranty

Product Code: #06157
1800W x 900D x 1050H



OASIS BAR HEIGHT TABLE 1050 HIGH

Assembly Instructions:

Time Required: 30 minutes

Tools Required: Screwdriver, Electric Drill, Pencil, Measuring tape/Ruler

*Tools are not included

Skills required:



The Assembly Skill Rating is a 5-point system that shows the degree of effort needed in assembling a specific product. With 1 being easy for the average person and 5 requiring an expert. For most products, two persons are recommended

*Please note, as this is a commercial product, some intermediate skills are required.
No pre-drill holes or markings are provided on tops

PLEASE NOTE

- As this is a commercial product, some intermediate skills may be required.
- Please check you have all hardware before assembling.
- Assemble on a clean, flat, smooth surface such as a rug or carpet to avoid parts from being scratched.
- Remove all wrapping materials, including staples and packing straps before you start to assemble
- Keep all hardware parts out of reach of children.


CAUTION


- Heavy product. Do not attempt to lift or move without help
- Do not tighten screws and bolts until completely assembled.
- Do not use this product unless all bolts and screws are firmly secured and tightened.


WARNING

- If parts are missing, broken, damaged or worn stop using the product until all repairs are made.
- Failure to follow these warnings could result in serious Injury


Product Code: #06157
1800W x 900D x 1050H



	M8*16H 12pcs
	M5*55H 14pcs
	M6 1pcs





Please do not tighten the screws when assembling the top crossbeam.



Please tighten the screws after Assembled all the beams.

Fix Top to Frame using screws provided



Note: it may be easier to do this upside down with the top on a soft surface, and the frame centred upside down on the top.
Use a pencil to mark the screw locations and pre-drill holes first if necessary